

BLACKHAWK



Custom Series

Heavy Duty
Trailers





Folding Gooseneck Trailers.

- Gooseneck lowers to form loading ramp. • Hydraulic or winch operated.
- Standard or special designs available from 35 to 50 tons. 2, 3 and 4 axle configurations.
- Stable loading and unloading. • Apatong decking and 100,000 PSI steel construction.



Fixed Gooseneck Trailers.

Standard models available in capacities from 35 to 50 tons. Custom built models up to 100 tons. • Full width Apatong Decking • Concentrated load in 16'

Hydraulic Folding Tail Trailers.

- Available in 35 ton and 50 ton capacities with 2 or 3 axles. • Outside hydraulic controls for easy operation • Full width gooseneck
- Load carrying rear ramp for loading from ground or dock




Rear Loading Paver Special Trailers.

Specially designed for moving rollers and pavers.

- Fast and easy hydraulic bi-fold ramps.
- Carry roller, paver and broom in one trip. • Low rear ramp climb angle.
- Full width gooseneck with 3 to 1 slope accomodates most rollers.

Engineered for performance....



High lift gooseneck.

East Coast suspensions. Close coupled. 3 + 1 and 3 + 2 (shown)

Rigid East Coast Stinger with Flips

Reinforced outer beams.

Long lasting 1 1/2" Apitong or 2" decking

High strength fully cambered steel beams

West Coast Pivoting Rear Sections up to 3 + 3

Integrated West Coast Stingers

Jeeps. Tandem or Tri-axle

Quick and easy hook-ups to air, electrical and hydraulic systems.

Special Decks including Level or Drop side (shown)

Air Ride® suspension

Optional Aluminum wheels shown

Truck-Lite® L.E.D. sealed lighting system.

Quality built for strength and dependability.

Hydraulic Removable Gooseneck Trailers

Standard models available in capacities from 35 to 60 tons.

Custom built models up to 100 tons. Call us with your equipment moving needs.

Optional equipment shown



Spread Axle Configurations.

Specially designed trailers available in various axle combinations. Custom built models up to 100 tons.



Special Configurations.

Specially designed trailers up to 100 tons.



Mechanical Removable Gooseneck Trailers.

Lightweight mechanical detachable gooseneck when empty weight is critical.

- Shot blast finish with epoxy primer and two part urethane paint. Standard colors black, red or yellow. Custom colors available.



Due to printing restrictions colors shown are representative only.

Setting the standard since 1898



325,00 square foot facility located on 73 acres in rural Ogle County, Illinois



Designed and engineered using 3D modeling and comprehensive stress analysis software.



Precision laser cutting technology.



Programmable robotic welding ensures quality fabrication.

Distributed by:

E. D. Etnyre & Co., whose policy is one of continuous improvement, reserves the right to change specifications without notice. Photos and illustrations contain standard and optional equipment.



E. D. ETNYRE & CO.

1333 S. Daysville Road, Oregon, Ill 61061
Phone 1-815-732-2116, Fax 815-732-7400,
www.etnyre.com, email: sales@etnyre.com
ISO 9001:2000 certified

L-HDT-08

Supersedes L-HDT-05